



\$09c

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Edward J. Cheal, et al.

Patent No: 7,044,975 B2

Application No: 10/605,322

For: *Joint prostheses and components thereof*

Issued: May 16, 2006

Atty Docket No. APK-001.02

ATTN: Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria VA 22313-1450

**Certificate
MAY 31 2006
of Correction**

**REQUEST FOR CERTIFICATE OF CORRECTION
OF PATENT FOR APPLICANTS' MISTAKE (37 CFR 1.323)**

Sir:

Applicant/Patentee requests the issuance of a Certificate of Correction to correct the following errors in the patent:

Col. 12 line 10: "0.00010" should be --0.0010--.

Col, 12 line 30: "pigot" should be --spigot--.

In each of claims 18-22: "stem component" should be --joint prosthesis--.

The first two mistakes are the fault of the office, because the application as filed did not contain these errors. *See* paragraph [0053] of the application as filed September 22, 2003 and as amended by the amendment filed September 27, 2004.

Applicant/Patentee made the mistake that affects claims 18-22. These claims were originally presented as claims 20-24 and depended upon an independent claim (original claim 19) drawn to a "stem component." When Applicant/Patentee amended that independent claim to

05/30/2006 SHASSEN1 00000126 061448 7044975

01 FC:1811 100.00 DA
B2943631.1

MAY 31 2006

be dependent upon claim 1 and to recite instead a "joint prosthesis," it unintentionally failed to amend the preambles of the claims dependent thereon.

This mistake is of a clerical nature, a typographical nature, or a mistake of minor character. It does not constitute new matter and does not require reexamination because the requested change would not materially affect the scope or meaning of the patent.

A form PTO/SB/44 showing the requested corrections accompanies this Request.

The Commissioner is authorized to charge the required \$100 fee (fee code 1811, 37 C.F.R. § 1.20(a)), as well as any other required fee, to Deposit Account No. 06-1448, ref. APK-001.02.

Respectfully submitted,
FOLEY HOAG LLP

Dated: May 23, 2006
Customer No. 25,181
FOLEY HOAG LLP
155 Seaport Blvd
Boston MA 02210-2600
Tel.: (617) 832-1230
Fax: (617) 832-7000

/SCOTT E. KAMHOLZ/
Scott E. Kamholz
Reg. No. 48,543
Attorney for Applicants

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 7,044,975 B2

DATED : May 16, 2006

INVENTOR(S) : Cheal et al.

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

Column 12,

Line 10, replace "0.00010" with --0.0010--.

Line 30, replace "pigot" with --spigot--.

Column 19,

Line 8, replace "stem component" with --joint prosthesis--.

Line 10, replace "stem component" with --joint prosthesis--.

Column 20,

Line 1, replace "stem component" with --joint prosthesis--.

Line 7, replace "stem component" with --joint prosthesis--.

Line 9, replace "stem component" with --joint prosthesis--.

MAILING ADDRESS OF SENDER: Foley Hoag LLP
155 Seaport Blvd
Boston MA 02210-2600

PATENT NO. 7,044,975 B2

No. of additional copies



This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

MAY 8 2006